

PATIENT STATUS IN TRANSPORT ACCIDENTS

Patient Status	Definition
Driver	Patient was operating vehicle
Passenger	Patient was inside vehicle-not driving
Hanger-on	Patient may be hanging onto a bumper, roof etc. Not inside vehicle. Example-External Cause - Accident (to) X58-transport (involving injury to) V99-car occupant V49.9-hanger-on (ICD-100-CM Code V46.2-)
Occupant	Patient is not driver, hanger-on or passenger
Pedestrian	Patient is on the side of the road

MEDICAL TREATMENT/COMPLICATIONS

- A misadventure (Y60–Y69);
- An adverse incident associated with a medical device (Y70–Y82); or
- An abnormal reaction/later complication (Y83–Y84).

Report multiple codes to completely describe the circumstances.

MEDICAL TREATMENT - MISADVENTURES Y62 - Y69

<ul style="list-style-type: none"> ● Failure of sterile precautions during surgical and medical care, ● Failure in dosage during surgical and medical care, ● Contaminated medical or biological substances, ● Nonadministration of surgical and medical care, ● Unspecified misadventure during surgical and medical care 	<p>ICD-10-CM Code Range is <u>Y62-Y69</u></p> <p>“Assign as many external cause codes as necessary to fully explain each cause</p> <p>Assign appropriate 4th/5th</p> <p>Do not code activity codes, place, status.</p>
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

MEDICAL DEVICES-INJURIES

Adverse reaction related medical devices	<p><u>Code Range- Y70-Y82</u></p> <p>Anaesthesiology Devices</p> <p>General and Plastic Surgery Devices</p> <p>Medical Speciality Related Devices</p> <p>4th and 5th Character indicates purpose of medical device</p> <p>Do not code activity codes, place, status.</p>
------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Abnormal Reaction to Medical Treatment

Abnormal reaction to surgical operation/procedures	<p>Code range - Y83-Y84</p> <ul style="list-style-type: none">● Transplantation● Dialysis● Urinary Catheterization● Blood sampling● Radiological procedures etc <p>Note: Y83-Y84 includes both abnormal reactions and later complications</p>
----------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Example

1. A patient has a total hip replacement and is discharged. The next day, the patient returns to the hospital with a dislocated left total hip replacement with no associated trauma. A closed reduction is performed

ICD-10-CM Codes: **T84.031A** - Mechanical loosening of internal left hip prosthetic joint, initial encounter

Y83.1 - Surgical operation with implant of artificial internal device as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure

Examples

The patient is admitted with kidney transplant (homograft) rejection.	Y83.0 Surgical operation with transplant of whole organ as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure
Following open reduction internal fixation, there is disruption of the wound that prolongs the stay.	Y83.1 Surgical operation with implant of artificial internal device as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure
Hernia repair first day, on 5th day develops pleural effusion that requires thoracentesis	Y83.4 - Other reconstructive surgery as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure
A patient is diagnosed with streptococcal sepsis three days following appendectomy	Y83.6 - Removal of other organ (partial) (total) as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure
VAP after 3 days of intubation, started on mechanical ventilation	Y84.8 - Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure
Pacemaker lead damage, need replacement	Y71.2 - Prosthetic and other implants, materials and accessory cardiovascular devices associated with adverse incidents
Right oophorectomy performed instead of left oophorectomy	Y65.53 - Performance of correct procedure (operation) on wrong side or body part
Double dose of medication given due to transcription error	Y63.8 - Failure in dosage during other surgical and medical care
Skin burn due to radiation therapy for other site Rib fracture due to CPR	Y65.8 - Other specified misadventures during surgical and medical care